

Page 1/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: KEIM REVERSIL-SCHLÄMME
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Reversible, closing base coat for interior use
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf

Tel. +49 (0)821 4802-0

Fax +49 (0)821 4802-210

www.keim.com / info@keimfarben.de

· Further information obtainable from:

Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de

· 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with regional/national regulations.

Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

· Note on EUH208:

These are preservatives.

Avoid contact with the skin and eyes.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable

(Contd. on page 2)



Page 2/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 1) · vPvB: Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Aqueous dispersion of polyether-polyurethane without free groups of isocyanates and fillers

· Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] ❖ Carc. 2, H351	≥0.1-<1%
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32- 0043	zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<0.5%
CAS: 108-01-0 EINECS: 203-542-8 Index number: 603-047-00-0 Reg.nr.: 01-2119492298-24- XXXX	2-dimethylaminoethanol Flam. Liq. 3, H226; Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312 ATE: ATE oral: 1,187 mg/kg ATE dermal: 1,219 mg/kg ATE (4h) inhalative: 6 mg/l Specific concentration limit: STOT SE 3; H335: C ≥ 5%	<0.2%

(Contd. on page 3)



Page 3/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

	(Co	ontd. of page 2)
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60- XXXX	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: ATE oral: 532 mg/kg ATE (4h) inhalative: 0.4 mg/l Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.02%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: ATE oral: 66 mg/kg ATE dermal: >141 mg/kg ATE (4h) inhalative: 0.17 mg/l Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

· Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter \leq 10 µm) bound in the paint matrix.

This product contains <1 % respirable crystalline quartz.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Seek medical treatment in case of complaints.

When seeing the doctor we suggest to present this safety data sheet.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 4)



Page 4/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 3)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon oxide (COx)

Nitrogen oxides (NOx)

Hydrogen fluoride (HF)

Sulphur dioxide (SO2)

Barium oxide vapour

Hydrogen cyanide (HCN)

- · 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin and eyes.

Respect the protection rules (see section 7 and 8).

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Page 5/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 4)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

· Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Protect from heat and direct sunlight.

- · Storage class: 12
- · GISCode BSW50 Beschichtungsstoffe, wasserbasiert, lösemittelhaltig, filmgeschützt
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
14808-60-7 Quartz (SiO2)	

MAK (Germany) | alveolengängige Fraktion

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y

2634-33-5 1,2-benzisothiazol-3(2H)-one

MAK (Germany) vgl.Abschn.IIb und Xc

55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³ vgl.Abschn.Xc

(Contd. on page 6)



Page 6/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

			(Contd. of pa
DNELs			
1314-13-2 zinc oxide			
Oral			g bw/day (consumer) (50 mg Zn/day)
Dermal	Long-term - systemic effects		
			bw/day (consumer) (5000 mg Zn/day)
Inhalative	Long-term - systemic effects	,	•
	Long-term - systemic effects	-	·
	Long-term - local effects	0.5 mg/m ³	(worker)
	2-dimethylaminoethanol		
Dermal	Long-term - systemic effects		kg bw/day (consumer)
			g bw/day (worker)
	Acute - systemic effects	-	day (worker)
Inhalative	Acute - systemic effects	5.28 mg/m	•
	Acute - local effects		m³ (worker)
	Long-term - systemic effects		m³ (consumer)
		1.76 mg/m	· ·
	Long-term - local effects	1.76 mg/m	³ (worker)
PNECs			
	zinc oxide		
Aquatic co	mpartment - freshwater		0.0206 mg/l (Freshwater)
Aquatic co	empartment - marine water		0.0061 mg/l (Seawater)
	empartment - sediment in fresl		117.8 mg/kg sed dw (Freshwater sediment)
Aquatic co	empartment - sediment in mari	ne water	56.5 mg/kg sed dw (Marine sediment)
Terrestrial	compartment - soil		35.6 mg/kg dw (soil)
-	eatment plant		0.1 mg/l (Sewage treatment plant)
	2-dimethylaminoethanol		
Aquatic co	mpartment - freshwater		0.066 mg/l (Freshwater)
Aquatic compartment - marine water			0.004 mg/l (Seawater)
Aquatic compartment - water, intermittent release		nt releases	0.661 mg/l (not specified)
Aquatic co	mpartment - sediment in fresl	nwater	0.246 mg/kg sed dw (Freshwater sediment)
Aquatic compartment - sediment in marine water		ne water	0.015 mg/kg sed dw (Marine sediment)
Terrestrial	compartment - soil		0.01 mg/kg dw (soil)
Sewage tr	eatment plant		10 mg/l (Sewage treatment plant)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

(Contd. on page 7)



Page 7/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 6)

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

· Hand protection Protective gloves

Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Butyl rubber, BR

PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing
- **Environmental exposure controls**

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidWhite

Odour: Characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined
• Flammability Not applicable

Lower and upper explosion limit

Lower: Not applicable
 Upper: Not applicable
 Flash point: Not applicable
 Auto-ignition temperature: Not determined
 Decomposition temperature: Not determined

(Contd. on page 8)



Page 8/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

	(Contd. of page
pH at 20 °C	~8*
Viscosity:	
Kinematic viscosity	Not determined
Dynamic at 20 °C:	1,500-2,500* mPas
Solubility	1,000 2,000 1111 do
water:	Fully miscible
Partition coefficient n-octanol/water (log	T dily impossio
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
	1 E 1 G* a/om3
Density at 20 °C:	1.5-1.6* g/cm³
Relative density	Not determined
Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced materi
	and may change with the time.
Appearance:	
Form:	Pasty
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	· · · · · · · · · · · · · · · · · · ·
Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable.
<u> </u>	···
Information with regard to physical haz classes	aru
	Void
Explosives	
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
	Void
Organic peroxides	
Organic peroxides Corrosive to metals	Void

(Contd. on page 9)



Page 9/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 8)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Poisonous gases/vapours

Carbon oxides (COx)

Nitrogen oxides (NOx)

Hydrogen fluoride

Sulphur oxides (SOx)

Bariumoxide vapour

(possible HCN)

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
13463-67-		oxide [in powder form containing 1 % or more of particles with ic diameter ≤ 10 μm]
Oral	ATE mix	>2,000 mg/kg (orally)
Dermal	ATE mix	>2,000 mg/kg (dermal)
Inhalative	ATE mix (4h)	>5 mg/l (inhalative)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)
1314-13-2	zinc oxide	
Oral	LD50	>5,000 mg/kg (rat)
108-01-0	2-dimethylami	noethanol
Oral	ATE	1,187 mg/kg (ATE)
	LD50	1,187 mg/kg (rat) (OECD 401)
Dermal	ATE	1,219 mg/kg (ATE)
	LD50	1,219 mg/kg (rabbit) (OECD 402)
Inhalative ATE (4h) 6 mg/l (ATE) (Vapours)		
		(Contd. on page 1



Page 10/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

		(Contd. of page 9)	
	LC50/4 h	6 mg/l /OECD 403 (rat) (Vapours)	
2634-33-5	1,2-benzisotl	niazol-3(2H)-one	
Oral	ATE	532 mg/kg (ATE)	
Inhalative	ATE (4h)	0.4 mg/l (ATE) (Dust / Fog)	
55965-84-	55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
Oral	ATE	66 mg/kg (ATE)	
Dermal	ATE	>141 mg/kg (ATE)	
Inhalative	ATE (4h)	0.17 mg/l (ATE) (Dust / Fog)	

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation

Contains CIT/MIT (3:1), BIT. May produce an allergic reaction.

CIT = 5-chloro-2- methyl-2H-isothiazol-3-one

MIT = 2-methylisothiazol-3(2H)-one

BIT = 1,2-benzisothiazol-3(2H)-one

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Subacute to chronic toxicity:

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

Harmful to aquatic organisms.

(Contd. on page 11)



Page 11/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

-	long-term adverse effects in the aquatic environment. titanium dioxide [in powder form containing 1 % or more of particles water aerodynamic diameter ≤ 10 μm]
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca
EC50	>100 mg/kg (Freshwater algae) (OECD 201)
EC 50	>10,000 mg/l (algae) (ISO 10253)
LC 50	>10,000 mg/l (marine fish) (OECD 203)
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	>1,000 mg/l (daphnia) (OECD 202)
1314-13-2 z	zinc oxide
EC 50/48h	0.67 mg/l (daphnia)
ErC50/72h	0.21 mg/l (algae) (pH >7 - 8,5; Zn (ZnO))
	dimethylaminoethanol
	98.4 mg/l (daphnia)
EC 50/72 h	34.5 mg/l (algae)
EC 50	>1,000 mg/l (bacteria) (30min)
LC 50/96 h	146.6 mg/l (fish)
2634-33-5 1	l,2-benzisothiazol-3(2H)-one
NOEC	0.04 mg/l /72h (algae) (OECD 201) S 2238
	0.21 mg/l /28d (fish) (OECD 215) S 805
	1.2 mg/l /21d (daphnia) (OECD 211) S 803
EC 50/48h	3.27 mg/l (daphnia) (OECD 202) S 2240
EC 50/3h	13 mg/l (sewage sludge) (OECD 209) S 2747
EC 50/72 h	0.11 mg/l (algae) (OECD 201) S 2238
EC20/3h	3.3 mg/l (sewage sludge) (OECD 209) S 2747
LC 50/96 h	1.6 mg/l (fish) (OECD 203) S 2746
55965-84-9	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-isothiazol-3-one (3:1)
NOEC	0.0012 mg/l /72h (algae) (OECD 201) S 1322 (b)
	0.098 mg/l /28d (fish) (OECD 215) S 117 (b)



Page 12/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

			_
		(Contd. of page 11)	_
		0.004 mg/l /21d (daphnia) (OECD 211) S 52 (b)	
	EC 50/48h	0.0052 mg/l (algae) (OECD 201) RAC opinion	
		0.1 mg/l (daphnia) (OECD 202) S 52 (b)	
	EC 50/3h	7.92 mg/l (sewage sludge) (OECD 209) S 418 (b)	
	EC 50/72 h	0.048 mg/l (algae) (OECD 201) S 1322 (b)	
	EC20/3h	0.97 mg/l (sewage sludge) (OECD 209) S 418 (b)	
	LC 50/96 h	0.22 mg/l (fish) (OECD 203) S 6 (b)	
Ī	· 12.2 Persis	tence and degradability	
	55965-84-9	reaction mass of: 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	
ı –	041 1 6	4	

Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

• 12.3 Bioaccumulative potential No further relevant information available.

· Log POW	· Log POW		
108-01-0	2-dimethylaminoethanol -0,55 (23°C)		
· Bioconce	ntration factor (BCF)		
2634-33-	5 1,2-benzisothiazol-3(2H)-one	6,95 (Fish)	
55965-84-	9 reaction mass of: 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	3,16	

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- vPvB: Not applicable
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2, ZnS, BaSO4, ZnO.

(Contd. on page 13)



Page 13/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 12)

General notes:

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informat	tion
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transpor regulations.
	(Contd. on page 1

(Contd. on page 14)



Page 14/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 13)

• UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Not relevant.

· ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Please note:

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: BSW50

(Contd. on page 15)



Page 15/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 14)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Flammable liquid and vapour. H226

H301 Toxic if swallowed.

Harmful if swallowed. H302

H310 Fatal in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Fatal if inhaled. H330

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- · Version number of previous version: 15.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 16)



Page 16/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 15.1 (replaces version 15.0) Revision: 19.01.2024

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 15)

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.